

ANTICONVULSANT THERAPY

Products Affected

Step 2:

- Aptiom
- Briviact 10 Mg Tablet
- Briviact 100 Mg Tablet
- Briviact 50 Mg Tablet
- Celontin
- Equetro
- Fycompa 10 Mg Tablet
- Fycompa 2 Mg Tablet
- Fycompa 6 Mg Tablet
- Lamictal Xr (blue)
- Lamictal Xr (orange)
- Spritam
- Vimpat 100 Mg Tablet
- Vimpat 200 Mg Tablet
- Banzel
- Briviact 10 Mg/ml Oral Soln
- Briviact 25 Mg Tablet
- Briviact 75 Mg Tablet
- Dilantin 30 Mg Capsule
- Fycompa 0.5 Mg/ml Oral Susp
- Fycompa 12 Mg Tablet
- Fycompa 4 Mg Tablet
- Fycompa 8 Mg Tablet
- Lamictal Xr (green)
- Oxtellar Xr
- Vimpat 10 Mg/ml Solution
- Vimpat 150 Mg Tablet
- Vimpat 50 Mg Tablet

Details

| | |
|-----------------|---|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 365 days. Step 1 drugs are Carbamazepine, Divalproex Sodium, Epitol, Ethosuximide, Felbamate, Gabapentin, Lamotrigine, Levetiracetam, Oxcarbazepine, Phenytoin, Primidone, Roweepra, Tiagabine, Topiramate, Valproic Acid, Zonisamide. |
|-----------------|---|

ARICEPT THERAPY

Products Affected

Step 2:

- Donepezil Hcl 23 Mg Tablet

Details

| | |
|-----------------|---|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 180 days. Step 1 drugs are Donepezil 10mg. |
|-----------------|---|

ATYPICAL ANTIPSYCHOTIC THERAPY

Products Affected

Step 2:

- Fanapt
- Olanzapine-fluoxetine Hcl
- Perseris
- Rexulti
- Versacloz
- Latuda
- Paliperidone Er
- Quetiapine Fumarate Er
- Saphris
- Vraylar

Details

| | |
|-----------------|--|
| Criteria | Must first try two step one drugs to receive a step two drug. Look back period is 365 days. Step 1 drugs are Aripiprazole (ODT, tablets, oral solution), Clozapine, Fazacllo, Fluphenazine, Haloperidol, Loxapine, Molindone, Olanzapine (ODT, tablets), Perphenazine, Pimozide, Quetiapine, Risperidone, Thioridazine, Thiothixene, Trifluoperazine, Ziprasidone. Members may request an exception and Rexulti, quetiapine XR and fluoxetine-olanzapine will be allowed as first line treatment for Major Depressive Disorder. Latuda, fluoxetine/olanzapine or quetiapine XR will be allowed as first line treatment for bipolar depression. |
|-----------------|--|

BASAL INSULIN

Products Affected

Step 2:

- Levemir
- Tresiba
- Tresiba Flextouch U-200
- Levemir Flextouch
- Tresiba Flextouch U-100

Details

| | |
|-----------------|---|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 180 days. Step 1 drugs are Basaglar, Lantus, Toujeo. |
|-----------------|---|

DPP-4

Products Affected

Step 2:

- Alogliptin
- Alogliptin-pioglitazone
- Jentadueto
- Kazano
- Oseni
- Alogliptin-metformin
- Glyxambi
- Jentadueto Xr
- Nesina
- Tradjenta

Details

| | |
|-----------------|--|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 180 days. Step 1 drugs are Janumet, Januvia, Kobmiglyze, Onglyza. |
|-----------------|--|

GLP-1

Products Affected

Step 2:

- Adlyxin
- Bydureon Pen
- Ozempic
- Victoza 2-pak
- Bydureon Bcise
- Byetta
- Trulicity
- Victoza 3-pak

Details

| | |
|-----------------|--|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 180 days. Step 1 drugs are Metformin OR Metformin/Glipizide. Victoza will be approved first-line if being used to reduce the risk of major adverse cardiovascular events in adults with type 2 diabetes and established cardiovascular disease. |
|-----------------|--|

HIGH RISK MEDICATIONS - SEDATIVE/HYPNOTICS

Products Affected

Step 2:

- Belsomra
- Eszopiclone
- Zolpidem Tartrate 10 Mg Tablet
- Zolpidem Tartrate Er
- Edluar
- Zaleplon
- Zolpidem Tartrate 5 Mg Tablet

Details

| | |
|-----------------|---|
| Criteria | This step therapy program applies to members aged 65 years or greater. Must first try one step one drug to receive a step two drug. Look back period is 180 days. Step 1 drugs are Rozerem, Silenor, Trazodone. Authorization for Edluar may be given if the patient has difficulty swallowing or cannot swallow tablets. |
|-----------------|---|

INSPRA THERAPY

Products Affected

Step 2:

- Aldactazide 50-50 Tablet
- Eplerenone
- Carospir

Details

| | |
|-----------------|--|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 180 days. Step 1 drugs are Spironolactone, Spironolactone/HCTZ. |
|-----------------|--|

NASAL CORTICOSTEROID THERAPY

Products Affected

Step 2:

- Beconase Aq
- Mometasone Furoate 50 Mcg Spry
- Qnasl
- Zetonna
- Dymista
- Omnaris
- Qnasl Children

Details

| | |
|-----------------|--|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 365 days. Step 1 drugs are Flunisolide, Fluticasone. Members may request an exception and mometasone will be allowed as first line treatment for Prophylaxis of Seasonal Allergic Rhinitis or nasal polyps. Members may request an exception and beclomethasone dipropionate (Beconase AQ) will be allowed as first line treatment for nasal polyps |
|-----------------|--|

OPHTHALMIC BETA BLOCKER THERAPY

Products Affected

Step 2:

- Betimol
- Combigan
- Betoptic S
- Timoptic Ocudose

Details

| | |
|-----------------|--|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 180 days. Step 1 drugs are Betaxalol, Carteolol, Dorzolamide/Timolol, Levobunolol, Timolol. |
|-----------------|--|

OPHTHALMIC PROSTAGLANDIN THERAPY

Products Affected

Step 2:

- Lumigan
- Rocklatan
- Vyzulta
- Zioptan
- Rhopressa
- Travatan Z
- Xelpros

Details

| | |
|-----------------|--|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 180 days. Step 1 drugs are Latanoprost. |
|-----------------|--|

OSTEOPOROSIS THERAPY

Products Affected

Step 2:

- Binosto
- Forteo
- Prolia
- Evenity (2 Syringes)
- Fosamax Plus D
- Tymlos

Details

| | |
|-----------------|---|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 180 days. Step 1 drugs are Alendronate, Risedronate, and Ibandronate 150mg tablets . Members may request an exception and Prolia will be allowed as first line treatment for Breast cancer - Osteopenia, In members at high risk of fracture receiving aromatase inhibitor therapy, and for Osteopenia, In members at high risk of fracture receiving androgen deprivation therapy - Prostate cancer, Nonmetastatic. |
|-----------------|---|

PULMONARY ANTI-INFLAMMATORY

Products Affected

Step 2:

- Symbicort

Details

| | |
|-----------------|---|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 180 days. Step 1 drugs are Fluticasone/Salmeterol, Wixela, Advair, Breo Ellipta, Dulera. |
|-----------------|---|

RESTLESS LEG THERAPY

Products Affected

Step 2:

- Horizant

Details

| | |
|-----------------|--|
| Criteria | Must first try one step one drug to receive a step two drug. Look back period is 180 days. Step 1 drugs are Gabapentin, Pramipexole, Ropinirole. |
|-----------------|--|

TRIPTAN THERAPY

Products Affected

Step 2:

- Onzetra Xsail
- Treximet 10-60 Mg Tablet
- Zomig 2.5 Mg Nasal Spray
- Relpax
- Zembrace Symtouch
- Zomig 5 Mg Nasal Spray

Details

| | |
|-----------------|--|
| Criteria | Must first try two step one drugs to receive a step two drug. Look back period is 365 days. Step 1 drugs are Almotriptan, Eletriptan, Frovatriptan, Naratriptan, Rizatriptan, Sumatriptan, Sumatriptan-naproxen (generic), Zolmitriptan. |
|-----------------|--|

Index

A

| | |
|-------------------------------|---|
| Adlyxin..... | 6 |
| Aldactazide 50-50 Tablet..... | 8 |
| Alogliptin..... | 5 |
| Alogliptin-metformin..... | 5 |
| Alogliptin-pioglitazone..... | 5 |
| Aptiom..... | 1 |

B

| | |
|----------------------------------|----|
| Banzel..... | 1 |
| Beconase Aq..... | 9 |
| Belsomra..... | 7 |
| Betimol..... | 10 |
| Betoptic S..... | 10 |
| Binosto..... | 12 |
| Briviact 10 Mg Tablet..... | 1 |
| Briviact 10 Mg/ml Oral Soln..... | 1 |
| Briviact 100 Mg Tablet..... | 1 |
| Briviact 25 Mg Tablet..... | 1 |
| Briviact 50 Mg Tablet..... | 1 |
| Briviact 75 Mg Tablet..... | 1 |
| Bydureon Bcise..... | 6 |
| Bydureon Pen..... | 6 |
| Byetta..... | 6 |

C

| | |
|---------------|----|
| Carospir..... | 8 |
| Celontin..... | 1 |
| Combigan..... | 10 |

D

| | |
|---------------------------------|---|
| Dilantin 30 Mg Capsule..... | 1 |
| Donepezil Hcl 23 Mg Tablet..... | 2 |
| Dymista..... | 9 |

E

| | |
|------------------|---|
| Edluar..... | 7 |
| Eplerenone..... | 8 |
| Equetro..... | 1 |
| Eszopiclone..... | 7 |

| | |
|---------------------------|----|
| Evenity (2 Syringes)..... | 12 |
|---------------------------|----|

F

| | |
|----------------------------------|----|
| Fanapt..... | 3 |
| Forteo..... | 12 |
| Fosamax Plus D..... | 12 |
| Fycompa 0.5 Mg/ml Oral Susp..... | 1 |
| Fycompa 10 Mg Tablet..... | 1 |
| Fycompa 12 Mg Tablet..... | 1 |
| Fycompa 2 Mg Tablet..... | 1 |
| Fycompa 4 Mg Tablet..... | 1 |
| Fycompa 6 Mg Tablet..... | 1 |
| Fycompa 8 Mg Tablet..... | 1 |

G

| | |
|---------------|---|
| Glyxambi..... | 5 |
|---------------|---|

H

| | |
|---------------|----|
| Horizant..... | 14 |
|---------------|----|

J

| | |
|---------------------|---|
| Jentaduetto..... | 5 |
| Jentaduetto Xr..... | 5 |

K

| | |
|-------------|---|
| Kazano..... | 5 |
|-------------|---|

L

| | |
|---------------------------|----|
| Lamictal Xr (blue)..... | 1 |
| Lamictal Xr (green)..... | 1 |
| Lamictal Xr (orange)..... | 1 |
| Latuda..... | 3 |
| Levemir..... | 4 |
| Levemir Flextouch..... | 4 |
| Lumigan..... | 11 |

M

| | |
|-------------------------------------|---|
| Mometasone Furoate 50 Mcg Spry..... | 9 |
|-------------------------------------|---|

N

| | |
|-------------|---|
| Nesina..... | 5 |
|-------------|---|

O

| | |
|---------------------------|----|
| Olanzapine-fluoxetine Hcl | 3 |
| Omniaris | 9 |
| Onzetra Xsail | 15 |
| Oseni | 5 |
| Oxtellar Xr | 1 |
| Ozempic | 6 |

P

| | |
|-----------------|----|
| Paliperidone Er | 3 |
| Perseris | 3 |
| Prolia | 12 |

Q

| | |
|------------------------|---|
| Qnasl | 9 |
| Qnasl Children | 9 |
| Quetiapine Fumarate Er | 3 |

R

| | |
|-----------|----|
| Relpax | 15 |
| Rexulti | 3 |
| Rhopressa | 11 |
| Rocklatan | 11 |

S

| | |
|-----------|----|
| Saphris | 3 |
| Spritam | 1 |
| Symbicort | 13 |

T

| | |
|--------------------------|----|
| Timoptic Ocudose | 10 |
| Tradjenta | 5 |
| Travatan Z | 11 |
| Tresiba | 4 |
| Tresiba Flextouch U-100 | 4 |
| Tresiba Flextouch U-200 | 4 |
| Treximet 10-60 Mg Tablet | 15 |
| Trulicity | 6 |
| Tymlos | 12 |

V

| | |
|--------------------------|----|
| Versacloz | 3 |
| Victoza 2-pak | 6 |
| Victoza 3-pak | 6 |
| Vimpat 10 Mg/ml Solution | 1 |
| Vimpat 100 Mg Tablet | 1 |
| Vimpat 150 Mg Tablet | 1 |
| Vimpat 200 Mg Tablet | 1 |
| Vimpat 50 Mg Tablet | 1 |
| Vraylar | 3 |
| Vyzulta | 11 |

X

| | |
|---------|----|
| Xelpros | 11 |
|---------|----|

Z

| | |
|--------------------------------|----|
| Zaleplon | 7 |
| Zembrace Symtouch | 15 |
| Zetonna | 9 |
| Zioptan | 11 |
| Zolpidem Tartrate 10 Mg Tablet | 7 |
| Zolpidem Tartrate 5 Mg Tablet | 7 |
| Zolpidem Tartrate Er | 7 |
| Zomig 2.5 Mg Nasal Spray | 15 |
| Zomig 5 Mg Nasal Spray | 15 |